

TESCOM SG Series



Pressure control for your industry

TESCOM™


EMERSON™
Process Management

Gain superior performance without compromise

What if you could get a superior performing regulator without sacrificing quality, reliability and unparalleled customer support, all at a great value?


TESCOM™ SG Series accomplishes just that. We have put our same high standards of performance and quality into the SG Series that TESCOM customers have come to expect from all our regulators, valves and systems. Furthermore, we have made it easier to order and faster to deliver.




The numbers tell the story

We flow tested our single-stage SG1 and SG3 regulators and compared them with similar competitor models. The results show TESCOM SG regulators having the highest usable flow and cycle life, exceeding stringent industry standards.

SG1 Series - 2000 psi/140bar in, 100 psi/6.9 bar out



SG3 Series



What you gain with the SG Series



- Increased regulator endurance with 316 Stainless Steel or Neoprene diaphragm
- Longer service life - seat is protected from impurities with 10 micron filter
- Fast and easy maintenance provided by a simple cartridge valve design with integrated filter
- Less downtime due to high regulator cycle life
- Ease of ordering - configure regulator with accessories
- Faster delivery - most regulators and rebuild kits ship from stock



Quality is our standard



SG Series regulators exceed leading worldwide industry standards including models meeting stringent oxygen service requirements. Taking these extra steps ensure the performance and reliability you can count on for your most critical process or analytical applications.

Industry Standards/Approvals

- Oxygen cleaning in accordance with ASTM G93
- Passed the industry standards for Oxygen ignition tests
- ASME B31 / ASME BPVC
- CGA E-4
- ISO 2503 / ISO 9090
- ISO 7291
- CRN

Easy to order

SG Series regulators can be configured with accessories so you can use them right out of the box! Ordering an SG Series regulator is easy: One model number includes the regulator, gauges, cylinder adapter, relief valve and shut-off valve. Please reference our SG Series datasheets for more detailed information.



Regulator Series	Inlet Pressure (maximum)	Outlet Pressure	C _v	Materials
SG1 Single-stage Flows to 40 SCFM 1/4" NPTF Ports Cylinder and Line porting	4500 psig 310 bar	15, 25, 50, 125, 250 psig 1, 1.7, 3.4, 8.6, 17.2 bar	.06, .20	<ul style="list-style-type: none"> • 316 SST & Nickel-plated Brass body • 316 SST & Neoprene Diaphragm
SG2 Two-stage Flows to 4 SCFM 1/4" NPTF Ports Cylinder and Line porting	4500 psig 310 bar	15, 25, 50, 125, 250 psig 1, 1.7, 3.4, 8.6, 17.2 bar	.06	<ul style="list-style-type: none"> • 316 SST & Nickel-plated Brass body • 316 SST & Neoprene Diaphragm
SG3 Single-stage Flows to 150 SCFM 1/2" NPTF Ports Cylinder and Line porting	4500 psig 310 bar	15, 50, 125, 250 psig 1, 3.4, 8.6, 17.2 bar	1.0	<ul style="list-style-type: none"> • 316 SST & Nickel-plated Brass body • 316 SST & Neoprene Diaphragm
Accessories Guide				
Cylinder Adapters	Available as per CGA, DIN and BS standards			
Gauges	2" psi/kpa or bar/psi scale			
Relief Valve	1/4" NPTF pipe away outlet port			
Diaphragm Valve	Multi-turn Brass or 316 Stainless Steel construction			
Metering Valve	Multi-turn Brass or 316 Stainless Steel construction			

The contents of this publication are presented for information purposes only, and while effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the designs or specifications of our products at any time without notice.

**Emerson Process Management
Regulator Technologies, Inc.**

Americas

Worldwide Headquarters

310 East University Drive
McKinney, Texas 75069-1872 USA

T: +1 800 558 5853

T: +1 972 548 3574

F: +1 972 542 6433

TESCOM Corporation

12616 Industrial Boulevard
Elk River, Minnesota 55330-2445 USA

T: +1 800 447 1250

T: +1 763 241 3238

F: +1 763 241 3224

**Emerson Process Management
Regulator Technologies, Inc.**

Europe

Natural Gas: T: +39 051 4190611

Industrial: T: +39 051 4190606

LP-Gas: T: +420 2 710 35 607

TESCOM: T: +49 (0) 38823 31 0

**Emerson Process Management
Regulator Technologies, Inc.**

Asia Pacific

T: +65 6770 8337

Middle East

T: +971 4811 8100

For further information visit www.emersonprocess.com/regulators or contact us by email: na.tescom@emerson.com

DBROC2035X012 © 2012 Emerson Process Management Regulator Technologies, Inc. All rights reserved. Printed in the U.S.A. 8/12.
Tescom, Emerson Process Management, and the Emerson Process Management design are marks of one of the Emerson Process Management group of companies. All other marks are the property of their respective owners.

TESCOM™

www.tescom.com


EMERSON™
Process Management